


Amended Claims:

1 (Canceled).


2 (Previously Presented). A compound of formula (II),



(II),

or a pharmaceutically suitable salt or prodrug thereof, wherein

R<sub>1</sub> is a member selected from the group consisting of alkyl, alkoxy, alkylSO<sub>2</sub>, trifluoroalkylSO<sub>2</sub>, trifluoroalkylNH-, alkylSO<sub>2</sub>NH-, carboxy, cyano, HONHcarbonyl, R<sub>a</sub>ONHcarbonyl, nitro, R<sub>a</sub>OC(O)-, HO<sub>3</sub>S-, H<sub>2</sub>NO<sub>2</sub>S-, R<sub>a</sub>NHO<sub>2</sub>S-, (HO)<sub>2</sub>(O)P-, (HO)<sub>2</sub>(O)PCH<sub>2</sub>-, (HO)<sub>2</sub>(O)PCHF-, (HO)<sub>2</sub>(O)PCF<sub>2</sub>- and heterocycle, wherein said heterocycle is a member selected from the group consisting of:



R<sub>3</sub>, R<sub>4</sub>, R<sub>5</sub>, R<sub>6</sub> and R<sub>7</sub> are each independently absent or are independently a member selected from the group consisting of hydrogen, alkyl, alkylcarbonyl, alkoxy, alkoxyalkyl, alkoxycarbonyl, aryl, arylcarbonyl, arylalkyl, carboxy, carboxyalkyl, cyano, cycloalkyl, cycloalkylalkyl, halo, haloalkyl, heterocycle, heterocyclecarbonyl, heterocyclealkyl, hydroxy, hydroxyalkyl, nitro, trihaloalkyl, R<sub>a</sub>R<sub>b</sub>N, R<sub>a</sub>R<sub>b</sub>Nalkyl, R<sub>a</sub>R<sub>b</sub>Ncarbonyl, , R<sub>a</sub>R<sub>b</sub>Ncarbonylalkyl, R<sub>a</sub>R<sub>b</sub>NNsulfonyl, R<sub>a</sub>R<sub>b</sub>NNsulfonylalkyl, wherein R<sub>a</sub> and R<sub>b</sub> are each independently a member selected from the group consisting of hydrogen, alkyl, alkoxycarbonyl, alkylcarbonyl, aryl, arylalkyl, cycloalkyl, cycloalkylalkyl, heterocycle, and heterocyclealkyl;

L is -G-X<sub>1</sub>-J-X<sub>2</sub>-K-;

G, J and K are independently a member selected from the group consisting of a bond, alkyl, alkenyl, aryl and cycloalkyl, wherein said alkyl, alkenyl, aryl and cycloalkyl may be optionally substituted with a group consisting of alkoxy, alkyl, halogen, hydroxy, hydroxyalkyl, carboxy and R<sub>d</sub>R<sub>e</sub>N-, wherein R<sub>d</sub> and R<sub>e</sub> are each independently a member selected from the group consisting of hydrogen, alkyl, alkoxycarbonyl, alkylcarbonyl and arylalkyl;

X<sub>1</sub> and X<sub>2</sub> are each independently a member selected from the group consisting of a bond, -O-, -N(R<sub>c</sub>)-, -N(R<sub>c</sub>)C(O)-, -C(O)N(R<sub>c</sub>)-, -N(R<sub>c</sub>)S(O)<sub>2</sub>-, -S(O)<sub>2</sub>N(R<sub>c</sub>)-, and -C(O)-, wherein R<sub>c</sub> is a member selected from the group consisting of hydrogen, alkyl and arylalkyl, provided that both X<sub>1</sub> and X<sub>2</sub> are not a bond; and

provided that if J is absent, then at least one of X<sub>1</sub> and X<sub>2</sub> must be absent.

3 (Original). The compound according to claim 2, wherein

G is a member selected from the group consisting of alkyl, alkenyl and cycloalkyl.

4 (Original). The compound according to claim 2, wherein

G is a member selected from the group consisting of alkyl, alkenyl and cycloalkyl; and

X<sub>1</sub>, J and K are a bond.

5 (Original). The compound according to claim 2, wherein

G is a member selected from the group consisting of alkyl, alkenyl and cycloalkyl; and

X<sub>1</sub>, J and K are a bond; and

R<sub>1</sub> is CO<sub>2</sub>H.

6 (Original). The compound according to claim 5, a member selected from the group consisting of

5-(3-((1E)-3-(3-hydroxy-2-

(methoxycarbonyl)phenoxy)prop-1-enyl)phenyl)isoxazole-3-carboxylic acid;

5-(3-(3-(3-hydroxy-2-

(methoxycarbonyl)phenoxy)butyl)phenyl)isoxazole-3-carboxylic acid;

5-(3-((2-(3-hydroxy-2-(methoxycarbonyl)phenoxy)ethyl)amino)phenyl)isoxazole-3-carboxylic acid;

5-(3-(3-(3-hydroxy-2-(methoxycarbonyl)phenoxy)propyl)phenyl)isoxazole-3-carboxylic acid;

5-(2-fluoro-5-((1E)-3-(3-hydroxy-2-(methoxycarbonyl)phenoxy)prop-1-enyl)phenyl)isoxazole-3-carboxylic acid;

5-(3-((1E)-3-(3-hydroxy-2-nitrophenoxy)prop-1-enyl)phenyl)isoxazole-3-carboxylic acid;

5-(3-((1S,2S)-2-((3-hydroxy-2-(methoxycarbonyl)phenoxy)methyl)cyclopropyl)phenyl)isoxazole-3-carboxylic acid;

5-(3-(3-(3-hydroxy-2-(methoxycarbonyl)phenoxy)butyl)-4-methoxyphenyl)isoxazole-3-carboxylic acid;

5-(4-fluoro-3-(3-(3-hydroxy-2-(methoxycarbonyl)phenoxy)butyl)phenyl)isoxazole-3-carboxylic acid;

5-(3-(3-(3-hydroxy-2-(methoxycarbonyl)phenoxy)pentyl)phenyl)isoxazole-3-carboxylic acid;

5-(3-((1E)-3-(3-hydroxy-2-propionylphenoxy)prop-1-enyl)phenyl)isoxazole-3-carboxylic acid;

5-(3-((1E)-4-hydroxy-3-(3-hydroxy-2-(methoxycarbonyl)phenoxy)but-1-enyl)phenyl)isoxazole-3-carboxylic acid;

5-(1-(2-(3-hydroxy-2-(methoxycarbonyl)phenoxy)ethyl)-1H-indol-6-yl)isoxazole-3-carboxylic acid;

5-(3-((1E)-3-(2-(acetylamino)-3-hydroxyphenoxy)prop-1-enyl)phenyl)isoxazole-3-carboxylic acid;

5-(3-((1E)-3-(2-((benzylamino)carbonyl)-3-hydroxyphenoxy)prop-1-enyl)phenyl)isoxazole-3-carboxylic acid;

5-(3-((1E)-3-(3-hydroxy-2-(methoxycarbonyl)-4-nitrophenoxy)prop-1-enyl)phenyl)isoxazole-3-carboxylic acid;

4-amino-5-(3-((1E)-3-(3-hydroxy-2-(methoxycarbonyl)phenoxy)prop-1-enyl)phenyl)isoxazole-3-carboxylic acid;

5-(3-((1*E*)-3-((3',5-dihydroxy-4-(methoxycarbonyl)-1,1'-biphenyl-3-yl)oxy)prop-1-enyl)phenyl)isoxazole-3-carboxylic acid; and

5-(3-{(1*E*)-3-(3-hydroxy-2-(methoxycarbonyl)phenoxy)prop-1-enyl}phenyl)-4-(hydroxymethyl)isoxazole-3-carboxylic acid.

7 (Original). The compound according to claim 2, wherein

X<sub>1</sub> is a member selected from the group consisting of -NH- and -NHC(O)-.

8 (Original). The compound according to claim 2, wherein

X<sub>1</sub> is a member selected from the group consisting of -NH- and -NHC(O)-; and  
G and K are a bond.

9 (Original). The compound according to claim 2, wherein

X<sub>1</sub> is a member selected from the group consisting of -NH- and -NHC(O)-;  
G and K are a bond; and  
R<sub>1</sub> is CO<sub>2</sub>H.

10 (Original). The compound according to claim 9, a member selected from the group consisting of

5-(3-(((1-acetylpiperidin-4-yl)carbonyl)amino)phenyl)isoxazole-3-carboxylic acid;

5-(3-((2-(3-hydroxy-2-((methylamino)carbonyl)phenoxy)ethyl)amino)phenyl)isoxazole-3-carboxylic acid; and

5-(3-((1*E*)-3-(3-hydroxy-2-((methylamino)carbonyl)phenoxy)prop-1-enyl)phenyl)isoxazole-3-carboxylic acid.

11 (Canceled). The compound according to claim 2 wherein

L is a bond.

12 (Original). The compound according to claim 2 wherein

L is a bond; and

R<sub>1</sub> is CO<sub>2</sub>H.

13 (Original). The compound according to claim 12 that is

5-{3'-(3-(carboxy)isoxazol-5-yl)-1,1'-biphenyl-3-yl}isoxazole-3-carboxylic acid.

14 (Original). A pharmaceutical composition comprising a therapeutically effective amount of a compound of claim 1 in combination with a pharmaceutically suitable carrier.

15 (Canceled).

16 (Canceled).

17 (Canceled).

18 (Canceled).

19 (Canceled).